







Z91.F.01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,574	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	58,235	5,760	11,595	1,660




Z91.F.02	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,786	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	68,715	10,189	13,815	2,597




Z91.F.03	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,894	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	74,278	13,519	14,994	3,239




Z91.FH.01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,432	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	48,591	2,063	10,494	1,587




Z91.FH.02	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,644	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	59,037	5,158	12,860	2,947




Z91.FH.03	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,751	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	64,583	7,658	14,113	3,829




Z91.M.01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,717	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	65,785	10,411	12,056	2,740




Z91.M.02	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,929	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	76,580	16,317	14,307	3,839




Z91.M.03	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	2,037	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	82,276	20,564	15,497	4,570




Z91.M.04	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	2,717	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	170,835	24,785	23,406	5,508




Z91.V.01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,901	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	83,747	11,964	14,898	3,174




Z91.V.02	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	2,048	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	93,004	15,530	16,985	3,878




Z91.V03	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	2,420	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	116,016	33,565	21,775	6,916




Z91.V04	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	2,100	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	95,281	15,151	17,057	3,794




Z91.VF.01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,893	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	84,622	11,817	14,996	3,123




Z91.VF.02	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	2,040	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	93,913	15,345	17,092	3,818



Z91.VF.03	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	2,412	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	116,959	33,215	21,891	6,823




Z91.VF.04	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	2,092	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	96,166	14,968	17,157	3,735




Z91.VG.01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,561	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	36,650	7,102	6,237	2,178

ADAPTÖR PROFİLLERİ / ADAPTER PROFILES




ADAPTER PROFILES


Z91.A.01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,693	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	65,775	10,967	11,208	2,809




Z91.A.02	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	1,693	6	EN AW 6060 T66	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	63,628	10,623	10,752	2,719




Z91.P.01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,146	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	0,121	0,089	0,139	0,113




Z77.T.01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,104	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	0,144	0,005	0,136	0,016




Z91.J.01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,104	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	0,144	0,005	0,136	0,016




Z77.J.01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,104	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	0,144	0,005	0,136	0,016




4,2x13 YHB




Z77.LP01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	2,888	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	46,852	46,852	9,709	9,709




Z77.LP03	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	3,322	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	52,519	52,519	11,394	11,394




Z77.LP02	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	3,090	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	49,206	49,206	10,935	10,935




Z77.LP04	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	4,570	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	97,115	97,115	20,704	20,704




Z77.LP.07	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	2,951	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	46,766	46,766	10,110	10,110




Z77.LP.08	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	3,451	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	54,439	54,439	12,713	12,713




Z77.G.01	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,378	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	2,521	1,230	0,789	0,713




Z77.G.02	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,365	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	1,980	1,192	0,680	0,704




Z77.G.03	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,352	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	1,528	1,151	0,582	0,693




Z77.G.04	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,339	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	1,158	1,107	0,497	0,681




Z77.G.05	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,326	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	0,865	1,059	0,426	0,668




Z77.G.06	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,313	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	0,641	1,008	0,373	0,653




Z77.G.07	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,300	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	0,480	0,952	0,343	0,635





Z77.G.08	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,288	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	0,372	0,891	0,338	0,615




Z77.G.09	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,275	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	0,310	0,825	0,268	0,591



Z77.G.10	AĞIRLIK (kg/m) Weight (kg/m)	UZUNLUK (m) Length (m)	ALAŞIM Alloy	
	0,270	6	EN AW6060 T6	
	Jx (cm ⁴)	Jy (cm ⁴)	Wx (cm ⁴)	Wy (cm ⁴)
	0,270	0,762	0,202	0,566



				
	FTL.01.01	FTL.01.02	FTL.01.03	FTL.01.04
Z77.G.01	28 mm	29 mm	30 mm	31 mm
Z77.G.02	32 mm	33 mm	34 mm	35 mm
Z77.G.03	36 mm	37 mm	38 mm	39 mm
Z77.G.04	40 mm	41 mm	42 mm	43 mm
Z77.G.05	44 mm	45 mm	46 mm	47 mm
Z77.G.06	48 mm	49 mm	50 mm	51 mm
Z77.G.07	52 mm	53 mm	54 mm	55 mm
Z77.G.08	56 mm	57 mm	58 mm	59 mm
Z77.G.09	60 mm	61 mm	62 mm	63 mm
Z77.G.10	64 mm	65 mm	66 mm	67 mm




				
	FTL.01.01	FTL.01.02	FTL.01.03	FTL.01.04
Z77.G.01	38 mm	39 mm	40 mm	41 mm
Z77.G.02	42 mm	43 mm	44 mm	45 mm
Z77.G.03	46 mm	47 mm	48 mm	49 mm
Z77.G.04	50 mm	51 mm	52 mm	53 mm
Z77.G.05	54 mm	55 mm	56 mm	57 mm
Z77.G.06	58 mm	59 mm	60 mm	61 mm
Z77.G.07	62 mm	63 mm	64 mm	65 mm
Z77.G.08	66 mm	67 mm	68 mm	69 mm
Z77.G.09	70 mm	71 mm	72 mm	73 mm
Z77.G.10	74 mm	75 mm	76 mm	77 mm

FTL.01.01

İÇ CAM FİTİLİ


GLAZING GASKET (INSIDE)

**Malzeme / Mater al:**
EPDM**Ağırlık / We ght:**
81 gr/m**Paket / Package:**
185 m / 15 kg

FTL.01.06

SIZDIRMAZLIK FİTİLİ


SEALING GASKET

**Malzeme / Mater al:**
EPDM**Ağırlık / We ght:**
10 gr/m**Paket / Package:**
1500 m / 15 kg

FTL.01.02

İÇ CAM FİTİLİ


GLAZING GASKET (INSIDE)

**Malzeme / Mater al:**
EPDM**Ağırlık / We ght:**
75 gr/m**Paket / Package:**
200 m / 15 kg

FTL.01.07

İÇ BİNİ FİTİLİ


INTERNAL REBATE GASKET

**Malzeme / Mater al:**
EPDM**Ağırlık / We ght:**
28 gr/m**Paket / Package:**
535 m / 15 kg

FTL.01.03

İÇ CAM FİTİLİ


GLAZING GASKET (INSIDE)

**Malzeme / Mater al:**
EPDM**Ağırlık / We ght:**
69 gr/m**Paket / Package:**
217 m / 15 kg

FTL.01.08

KANAL KAPAMA FİTİLİ


SEALING GASKET

**Malzeme / Mater al:**
EPDM**Ağırlık / We ght:**
71 gr/m**Paket / Package:**
211 m / 15 kg

FTL.01.04

İÇ CAM FİTİLİ


GLAZING GASKET (INSIDE)

**Malzeme / Mater al:**
EPDM**Ağırlık / We ght:**
55 gr/m**Paket / Package:**
272 m / 15 kg


FTL.01.43

BİNİ FİTİLİ

GLAZING GASKET (OUTSIDE)

**Malzeme / Mater al:**
EPDM**Ağırlık / We ght:**
30 gr/m**Paket / Package:**
500 m / 15 kg


FTL.03.04




DIŞ CAM FİTİLİ
GLAZING GASKET (OUTSIDE)

Malzeme / Material :
EPDM

Paket / Package:




FTL.03.05




İZOLASYON FİTİLİ
INSULATION GASKET

Malzeme / Material :
EPDM

Paket / Package:




FTL.03.06




İZOLASYON FİTİLİ
INSULATION GASKET

Malzeme / Material :
EPDM

Paket / Package:




FTL.03.07




İZOLASYON FİTİLİ
INSULATION GASKET

Malzeme / Material :
EPDM

Paket / Package:




FTL.03.08




TOZLUK FİTİLİ
CENTRAL GASKET

Malzeme / Material:
EPDM

Paket / Package:




FTL.03.09




İZOLASYON FİTİLİ
INSULATION GASKET

Malzeme / Material:
EPDM

Paket / Package:




CC-024




KÖŞE ÇAVUŞU
SERGEANT CORNER

Malzeme / Material:
Paslanmaz Çelik / Stainless Steel

Paket / Package:
100 adet / 100 pieces




TK.01.01




TAHLİYE KAPAĞI
DRAINAGE COVER CAP

Malzeme / Material:
PVC

Paket / Package:
100 adet / 100 pieces




116 Z91J 01



ORTA KAYIT BAĞLANTI
T-JOINT CONNECTION
Malzeme / Material : Alüminyum / Aluminium

Kesim Ölçüsü / Cutting Size : 11,6 mm

Paket / Package: 100 Adet / 100 Pieces


Profiller / Profiles: Z91.M.01


116 Z91J 02



ORTA KAYIT BAĞLANTI
T-JOINT CONNECTION
Malzeme / Material : Alüminyum / Aluminium

Kesim Ölçüsü / Cutting Size : 11,6 mm

Paket / Package: 100 Adet / 100 Pieces


Profiller / Profiles: Z91.M.01


206 Z91J 01



ORTA KAYIT BAĞLANTI
T-JOINT CONNECTION
Malzeme / Material : Alüminyum / Aluminium

Kesim Ölçüsü / Cutting Size : 20,6 mm

Paket / Package: 100 Adet / 100 Pieces


Profiller / Profiles: Z91.M.02


206 Z91J 02




ORTA KAYIT BAĞLANTI
T-JOINT CONNECTION
Malzeme / Material : Alüminyum / Aluminium

Kesim Ölçüsü / Cutting Size : 20,6 mm



Paket / Package: 100 Adet / 100 Pieces

Profiller / Profiles: Z91.M.02




256 Z91J 01


**ORTA KAYIT BAĞLANTI**
T-JOINT CONNECTION**Malzeme / Material :** Alüminyum / Aluminium**Kesim Ölçüsü / Cutting Size :** 25,6 mm**Paket / Package:** 100 Adet / 100 Pieces**Profiller / Profiles:** Z91.M.03 - Z9.M.04


256 Z91J 02


**ORTA KAYIT BAĞLANTI**
T-JOINT CONNECTION**Malzeme / Material :** Alüminyum / Aluminium**Kesim Ölçüsü / Cutting Size :** 25,6 mm**Paket / Package:** 100 Adet / 100 Pieces**Profiller / Profiles:** Z91.M.03 - Z9.M.04



ADP.02.14


**ADAPTÖR KAPAĞI**
ADAPTER**Malzeme / Material :**
PVC**Paket / Package:**
50 SET / 50 SETS












































TK.01.01

TAHLİYE KAPAĞI

